

SAWSTON PARISH COUNCIL

Link Road, Sawston, Cambridge CB22 3GB
Telephone: 01223 832470
E-mail: info@sawston.org.uk



Dear All

PLANNING AND ENVIRONMENT COMMITTEE

You are summoned to a meeting of the Planning and Environment Committee to be held in the **PARISH COUNCIL OFFICE, LINK ROAD, SAWSTON** on **Tuesday 25 June 2019 at 7.30pm** for the transaction of the undermentioned business.

Yours sincerely

Joanne Keeler (Mrs)
Parish Clerk
20 June 2019

A G E N D A

1. Apologies of Absence
2. Declaration of Interest for this meeting
3. Confirm and sign the minutes of the meeting held on 28 May 2019
4. Matters Arising – new information only
5. Planning Applications and associated matters

[S/1988/19/FL](#) Part two & part single storey rear extension, single storey front extension & replacement outbuilding at 14, Edinburgh Avenue.

Tree

[S/2081/19/TP](#) Ash – crown reduction to previous due to tree report by Argenta tree surveys for safety concerns at the corner of 28 Common Lane and 1 Hurrys Close.

[S/2113/19/TC](#) Crack Willow – Pollard all three trees at 5 meters at Sewer route following pathway and track, Catleys Walk.

Information Only

[S/1948/19/DC](#) Discharge of conditions 8 (framework travel plan) and 9 (full travel plan) of planning permission S/1515/15/OL for residential development and associated works including access at Land adjacent to 43 Mill Lane.

6. Planning Decisions (Full details are now on line only)

[S/1802/19/PA](#) Prior approval for a single storey rear extension at 7, The Limes -

Permission Granted

[S/0070/19/CC](#) Erection of extension to form new school entrance, reception area and administration area following demolition of existing entrance and administration area and alterations to car park layout at The Icknield Primary School, Lynton Way – **Permission Granted**

7. To agree type of bus shelter at London Road
8. To discuss 20 MPH feasibility Study
9. To discuss the Great Eastern Drying Shed
10. Correspondence: None
11. Councillors Issues and Agenda items for next meeting: Concerning P & E only