



## Risk Assessment for Sawston Parish Council - Mill Lane (Adopted May 2025)

Location	What are the hazards?	Priority/Risk (L,M,H)	What further action is necessary?	Action by Who?	Action by When?	Done (date & initial)
Entrance	<ul style="list-style-type: none"><li>▪ Clean and tidy</li></ul>	L	<ul style="list-style-type: none"><li>▪ Maintain.</li></ul>	Cleaning staff JK/Ground staff	Ongoing	
Changing Room 1	<ul style="list-style-type: none"><li>▪ Running water for showers (potential for legionnaire's disease).</li></ul>	H	<ul style="list-style-type: none"><li>▪ Hot water should be between 50° and 60°C.</li><li>▪ Cold water should be maintained below 20°C.</li><li>▪ Run all taps and showers for several minutes once a week.</li></ul>	Cleaning Staff JK/Ground staff	Ongoing	Showers run weekly
Non-gender toilets	<ul style="list-style-type: none"><li>▪ Keep clean and tidy</li></ul>	M		Cleaning Staff	Ongoing	
Non-gender Toilet for Disabled	<ul style="list-style-type: none"><li>▪ Keep clean and tidy</li></ul>	M		Cleaning Staff	Ongoing	
Changing Room 2	<ul style="list-style-type: none"><li>▪ Keep clean and tidy</li><li>▪ Running water for showers (potential for legionnaire's disease).</li></ul>	M H	<ul style="list-style-type: none"><li>▪ Hot water should be between 50° and 60°C.</li><li>▪ Cold water should be maintained below 20°C.</li><li>Run all taps and showers for several minutes once a week</li></ul>	Cleaning Staff JK/Ground staff	Ongoing Ongoing	Showers run weekly
Referees	<ul style="list-style-type: none"><li>▪ Keep clean and tidy</li></ul>	M		Sports clubs	Ongoing	



## Risk Assessment for Sawston Parish Council - Mill Lane (Adopted May 2025)

Room x 2						
Main Hall	<ul style="list-style-type: none"><li>Keep clean and tidy</li></ul>	L	<ul style="list-style-type: none"><li>Maintain</li></ul>	Cleaning Staff/JK & Ground staff	Ongoing	
Single Disabled Toilet (End of Building)	<ul style="list-style-type: none"><li>Keep clean and tidy</li></ul>	M		Cleaning Staff	Ongoing	



## Risk Assessment for Sawston Parish Council - Mill Lane (Adopted May 2025)

Location	What are the hazards?	Priority/Risk (L,M,H)	What further action is necessary?	Action by Who?	Action by When?	Done (date & initial)
Boiler Cupboard	<ul style="list-style-type: none"><li>Cupboard locked.</li></ul>	L	<ul style="list-style-type: none"><li>Cupboard to be kept neat and tidy.</li></ul>	JK/Ground staff	Ongoing	
Cleaning Cupboard	<ul style="list-style-type: none"><li>Cupboard is locked.</li></ul>	M	<ul style="list-style-type: none"><li>Chemical substances must be locked away.</li></ul>	Cleaning staff	Ongoing	
Community Room 1	<ul style="list-style-type: none"><li>Keep clean and tidy</li></ul>	M		Cleaning Staff JK/Ground staff	Ongoing	
Kitchen	<ul style="list-style-type: none"><li>Keep clean and tidy</li></ul>	M	Keep replenished	Cleaning Staff JK/Ground staff	Ongoing	Checked weekly
	<ul style="list-style-type: none"><li>First Aid Kits</li></ul>	M		JK/Ground staff	Ongoing	



## Risk Assessment for Sawston Parish Council - Mill Lane (Adopted May 2025)

Location	What are the hazards?	Priority/Risk (L,M,H)	What further action is necessary?	Action by Who?	Action by When?	Done (date & initial)
Surrounding the Building	<ul style="list-style-type: none"><li>Trees owned and maintained by SPC (Annual tree report carried out)</li></ul>	L	<ul style="list-style-type: none"><li>Maintain</li></ul>	Office/Groundstaff	Ongoing	
Football Clubs Shed	<ul style="list-style-type: none"><li>To be kept tidy</li></ul>	L	<ul style="list-style-type: none"><li>Maintain</li></ul>	Football clubs	Ongoing	
Play Area	<ul style="list-style-type: none"><li>Inspected by ROSPA annually and weekly by SPC staff</li></ul>	M	<ul style="list-style-type: none"><li>Maintain</li></ul>	JK/Ground staff	Ongoing	
Area Around Ground Store	<ul style="list-style-type: none"><li>Diesel.</li></ul>	L	<ul style="list-style-type: none"><li>Stored in enclosure.</li></ul>	Head Grounds man		
Ground Store	<ul style="list-style-type: none"><li>Chalk.</li></ul>	M	<ul style="list-style-type: none"><li>Use mask when handling chalk dust to prevent inhalation/provide staff with mask</li></ul>	Ground staff	Ongoing	